

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multi**

Revision date: 26.11.2019

Product code: 116

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Multi

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Lubricants, greases, release products

**Uses advised against**

Reserved for industrial and professional use.

**1.3. Details of the supplier of the safety data sheet**

Company name:	ITW LLC & Co. KG		
Street:	Mühlackerstrasse 149		
Place:	D-75417 Mühlacker		
Telephone:	++49(0)7041-96340	Telefax:	++49(0)7041-963429
e-mail:	info@itwcp.de		
Internet:	www.itwcp.de		
Responsible Department:	Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00 Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in Switzerland dial 145) United Kingdom : National Poisons Information Service - Phone number : 8448920111 Österreich : Vergiftungsinformationszentrale Vienna - Telefon-Nummer : +43 1 406 43 43 Schweiz : Tox Info Suisse - Telefon-Nummer : +41 44 251 51 51 Italia : Centro Antiveleni, Roma - Numero di telefono : +39 06 305 4343 España : Instituto Nacional de Toxicología - Teléfono : +34 91 562 04 20 Deutschland: ++49(0)7041-96340		

**1.4. Emergency telephone number:****SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Aerosol: Aerosol 1

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

**2.2. Label elements****Regulation (EC) No. 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

**Precautionary statements**

P211 Do not spray on an open flame or other ignition source.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multi

Revision date: 26.11.2019

Product code: 116

Page 2 of 7

- P251 Do not pierce or burn, even after use.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Special labelling of certain mixtures

- EUH066 Repeated exposure may cause skin dryness or cracking.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	EC No	Index No	REACH No	Quantity
64742-48-9	Naphta heavy hydrogen treated				60-90%
124-38-9	Carbondioxide				2,5-10%
120-51-4	benzyl benzoate				<1%
93820-57-6	Benzenesulfonic acid, di-C10-18-alkyl derivs., calcium salts				<1%
9014-92-0	Poly(oxy-1,2-ethanediyl),a-(dodecylphenyl)-w-hydroxy-				<1%
91-64-5	Cumarine				<1%

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Provide fresh air.

##### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

##### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

##### After ingestion

If swallowed, immediately drink: Water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Multi**

Revision date: 26.11.2019

Product code: 116

Page 3 of 7

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Water with tenside additive. Water.

### 5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear a self-contained breathing apparatus and chemical protective clothing.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

### 6.3. Methods and material for containment and cleaning up

Ventilate affected area.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multi**

Revision date: 26.11.2019

Product code: 116

Page 4 of 7

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

DIN EN 374 Tested protective gloves are to be worn: NBR (Nitrile rubber) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. NBR (Nitrile rubber)

**Skin protection**

Protective clothing:

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Aerosol
Colour:	light yellow
Odour:	characteristic

**Changes in the physical state**

Lower explosion limits:

Upper explosion limits:

Density: 0,806 g/cm<sup>3</sup>

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.2. Chemical stability**

No data available

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

Keep away from heat. Ignition hazard.

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

No data available

**SECTION 11: Toxicological information**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multi

Revision date: 26.11.2019

Product code: 116

Page 5 of 7

#### 11.1. Information on toxicological effects

##### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
120-51-4	benzyl benzoate				
	oral	ATE 500 mg/kg			
9014-92-0	Poly(oxy-1,2-ethanediyl),a-(dodecylphenyl)-w-hydroxy-				
	oral	ATE 500 mg/kg			
91-64-5	Cumarine				
	oral	ATE 500 mg/kg			

#### SECTION 12: Ecological information

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### Advice on disposal

Dispose of waste according to applicable legislation.

###### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

###### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

###### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.1



Classification code: 5F  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Excepted quantity: E0  
 Transport category: 2  
 Tunnel restriction code: D

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Multi

Revision date: 26.11.2019

Product code: 116

Page 6 of 7

## Other applicable information (land transport)

E0

## Inland waterways transport (ADN)

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0

## Other applicable information (inland waterways transport)

AEROSOLS

## Marine transport (IMDG)

**14.1. UN number:** UN1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2, see SP63

Special Provisions: 63, 190, 277, 327, 344, 959  
Limited quantity: See SP277  
EmS: F-D, S-U

## Other applicable information (marine transport)

E0

## Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS, flammable  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
Hazard label: 2.1



Special Provisions: A145 A167 A802  
Limited quantity Passenger: 30 kg G  
Passenger LQ: Y203  
Excepted quantity: E0  
IATA-packing instructions - Passenger: 203  
IATA-max. quantity - Passenger: 75 kg  
IATA-packing instructions - Cargo: 203  
IATA-max. quantity - Cargo: 150 kg

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multi**

Revision date: 26.11.2019

Product code: 116

Page 7 of 7

**Other applicable information (air transport)**

0000000005: Y203

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: Naphta heavy hydrogen treated

**National regulatory information**

Water contaminating class (D): 2 - clearly water contaminating

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*